

09/288,556

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:sssptaul21rlr

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 "Ask CAS" for self-help around the clock
NEWS 3 SEP 09 CA/CAPLUS records now contain indexing from 1907 to the
present
NEWS 4 DEC 08 INPADOC: Legal Status data reloaded
NEWS 5 SEP 29 DISSABS now available on STN
NEWS 6 OCT 10 PCTFULL: Two new display fields added
NEWS 7 OCT 21 BIOSIS file reloaded and enhanced
NEWS 8 OCT 28 BIOSIS file segment of TOXCENTER reloaded and enhanced
NEWS 9 NOV 24 MSDS-CCOHS file reloaded
NEWS 10 DEC 08 CABA reloaded with left truncation
NEWS 11 DEC 08 IMS file names changed
NEWS 12 DEC 09 Experimental property data collected by CAS now available
in REGISTRY
NEWS 13 DEC 09 STN Entry Date available for display in REGISTRY and CA/CAPLUS
NEWS 14 DEC 17 DGENE: Two new display fields added
NEWS 15 DEC 18 BIOTECHNO no longer updated
NEWS 16 DEC 19 CROPU no longer updated; subscriber discount no longer
available
NEWS 17 DEC 22 Additional INPI reactions and pre-1907 documents added to CAS
databases
NEWS 18 DEC 22 IFIPAT/IFIUDB/IFICDB reloaded with new data and search fields
NEWS 19 DEC 22 ABI-INFORM now available on STN

NEWS EXPRESS DECEMBER 28 CURRENT WINDOWS VERSION IS V7.00, CURRENT
MACINTOSH VERSION IS V6.0b(ENG) AND V6.0Jb(JP),
AND CURRENT DISCOVER FILE IS DATED 23 SEPTEMBER 2003
NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 13:06:54 ON 12 JAN 2004

09/288,556

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 13:07:06 ON 12 JAN 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 9 JAN 2004 HIGHEST RN 635758-32-6

DICTIONARY FILE UPDATES: 9 JAN 2004 HIGHEST RN 635758-32-6

TSCA INFORMATION NOW CURRENT THROUGH JULY 14, 2003

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:

<http://www.cas.org/ONLINE/DBSS/registryss.html>

=>

Uploading 787396a.str

L1 STRUCTURE UPLOADED

=>


Uploading 787396.str

L2 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR



G1 C,H

G2 O,S

G3 Me,Et,n-Pr,i-Pr,n-Bu,i-Bu,s-Bu,t-Bu


Structure attributes must be viewed using STN Express query preparation.

=> d l2

09/288,556

L2 HAS NO ANSWERS

L2 STR



G1 C,H

G2 O,S

G3 Me,Et,n-Pr,i-Pr,n-Bu,i-Bu,s-Bu,t-Bu

Structure attributes must be viewed using STN Express query preparation.

=> s l1 sss full

FULL SEARCH INITIATED 13:08:09 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 2008 TO ITERATE

100.0% PROCESSED 2008 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01

L3 0 SEA SSS FUL L1

=> s l2 sss full

FULL SEARCH INITIATED 13:08:18 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 1275 TO ITERATE

100.0% PROCESSED 1275 ITERATIONS

5 ANSWERS

SEARCH TIME: 00.00.01

L4 5 SEA SSS FUL L2

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

310.84

311.05

FILE 'CAPLUS' ENTERED AT 13:08:25 ON 12 JAN 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 12 Jan 2004 VOL 140 ISS 3

09/288,556

FILE LAST UPDATED: 11 Jan 2004 (20040111/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s l4

L5 2 L4

=> d l5 1-2 ibib abs hitstr

L5 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2001:798206 CAPLUS

DOCUMENT NUMBER: 135:331432

TITLE: Preparation of aminobenzoxazines and aminobenzothiazines as nitric oxide synthase inhibitors and antioxidants.

INVENTOR(S): Hoelscher, Peter; Jautelat, Rolf; Rehwinkel, Hartmut; Jaroch, Stefan; Suelzle, Detlev; Hillmann, Margrit; Burton, Gerardine Anne; McDonald, Fiona McDougall

PATENT ASSIGNEE(S): Schering Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 33 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1




PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001081324	A1	20011101	WO 2001-EP4282	20010412
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			


PRIORITY APPLN. INFO.: DE 2000-10021244 A 20000425

OTHER SOURCE(S): MARPAT 135:331432


GI



- AB Title compds. [I; X = O, S; R1 = (CHR9)nNR7ANR8B, (CHR9)nNR8B, (CHR9)nB; R2 = H; R1R2 = atoms to form a 5-8 membered mono- or bicyclic (unsatd.) ring in which 1 or 2 CH2 groups can be replaced by O or CO, and which is substituted by (CHR9)rNR7ANR8B, (CHR9)nB, or (CHR9)rNR8B; R3 = H, amino; R4 = H, acyl; R5, R6 = H, (substituted) cycloalkyl, Ph, C1-6 alkyl, C2-6 alkenyl, C2-6 alkynyl; R7, R8 = H, alkyl, phenylalkyl, alkoxycarbonyl, alkylcarbonyl; A = alkylene, (CH2)pQ(CH2)q; Q = cycloalkyl, indanyl, heterocycloalkyl, aryl, heteroaryl; m, n, p, q, r = 0-6; B = Q1, Q2; R9, R10 = H, alkyl; R11, R12 = H, OH, alkyl, alkoxy], were prepd. as nitric oxide synthase inhibitors and antioxidants (no data). Thus, 6-[N-(4-hydroxy-3,5-di-tert-butylbenzyl)-(tert-butoxycarbonyl)aminomethyl]-2-methyl-2H-1,4-benzoxazin-3(4H)-thione (prepn. given) was stirred 1 day with NH3 in MeOH to give 6-[N-(4-hydroxy-3,5-di-tert-butylbenzyl)-(tert-butoxycarbonyl)aminomethyl]-3-amino-2-methyl-2H-1,4-benzoxazine.
- IT **369650-74-8P 369650-76-0P 369650-79-3P**
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (prepn. of aminobenzoxazines and aminobenzothiazines as nitric oxide synthase inhibitors and antioxidants)
- RN 369650-74-8 CAPLUS
- CN 2H-1-Benzopyran-2-carboxamide, N-[3-[[[3,4-dihydro-2-methyl-3-oxo-2H-1,4-benzoxazin-6-yl)methyl]amino]propyl]-3,4-dihydro-6-hydroxy-2,5,7,8-tetramethyl- (9CI) (CA INDEX NAME)




- RN 369650-76-0 CAPLUS
- CN 2H-1,4-Benzoxazin-3(4H)-one, 6-[[[4-[[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]methyl]amino]butyl]amino]methyl]-2-methyl- (9CI) (CA INDEX NAME)



- RN 369650-79-3 CAPLUS
- CN Carbamic acid, [[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]methyl][4-[[[3,4-dihydro-2-methyl-3-thioxo-2H-1,4-benzoxazin-6-yl)methyl][(1,1-dimethylethoxy)carbonyl]amino]butyl]-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)


09/288,556



REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2004 ACS on STN
 ACCESSION NUMBER: 2001:152656 CAPLUS
 DOCUMENT NUMBER: 134:193440
 TITLE: Preparation of benzoxazines and benzothiazines as nitric oxide synthase inhibitors.
 INVENTOR(S): Hoelscher, Peter; Rehwinkel, Hartmut; Jaroch, Stefan; Suelzle, Detlev; Hillmann, Margrit; Burton, Gerardine Anne; McDonald, Fiona McDougall
 PATENT ASSIGNEE(S): Schering AG, Germany
 SOURCE: PCT Int. Appl., 35 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001014347	A1	20010301	WO 2000-EP8240	20000823
W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
DE 19941115	A1	20010301	DE 1999-19941115	19990825
EP 1206458	A1	20020522	EP 2000-962367	20000823
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL				
JP 2003507460	T2	20030225	JP 2001-518435	20000823
NO 2002000883	A	20020405	NO 2002-883	20020222
PRIORITY APPLN. INFO.:				
			DE 1999-19941115 A	19990825
			WO 2000-EP8240 W	20000823
OTHER SOURCE(S): MARPAT 134:193440				
GI				




AB Title compds. [I; X = O, S, SO, SO₂; R₁ = (CHR₉)_nNR₇ANR₈B, (CHR₉)_nNR₇B, etc.; R₂ = H; R₁R₂ = atoms to form 5-8 membered mono- or bicyclic (unsatd.) (alkyl-substituted) ring substituted by R₁; R₃ = H, halo, NO₂, cyano, CF₃, OCF₃, SR₉, OR₉, cycloalkyl, heteroaryl, COR₁₄, (substituted) aryl, alkyl, alkenyl, alkynyl; R₄ = H, acyl; R₅, R₆ = H, (substituted) cycloalkyl, Ph, alkyl, alkenyl, alkynyl; R₇ = H, alkyl, phenylalkyl, alkoxy carbonyl, alkyl carbonyl; R₈ = H; A = alkylene, alkenylene; B = C:R(CH₂)_pU, C:RNR₁₅, SOR₁₂, aryloxy carbonyl, benzyloxy carbonyl; R₈B = 5-7 membered (substituted) heterocyclcyl; R = O, S; n, p = 0-6; R₉ = H, alkyl; R₁₄ = H, OH, alkoxy, Ph, (substituted) alkyl, alkenyl; R₁₅ = H, alkyl, (substituted) Ph, PhCH₂], were prepd. as NOS inhibitors (no data). Thus, 6-[[N-(4-chlorobenzyl)pentanethiocarboxamid-6-yl]-(tert.-butyloxycarbonyl)aminomethyl]-3-amino-2-methyl-2H-1,4-benzoxazine.

IT 327157-36-8

RL: RCT (Reactant); RACT (Reactant or reagent)
(prepn. of benzoxazines and benzothiazines as nitric oxide synthase inhibitors)

RN 327157-36-8 CAPLUS

CN 2H-1,4-Benzoxazin-3(4H)-one, 6-[[[(4-aminobutyl)amino]methyl]-2-methyl-, dihydrochloride (9CI) (CA INDEX NAME)




● 2 HCl

IT 327157-31-3P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(prepn. of benzoxazines and benzothiazines as nitric oxide synthase inhibitors)

RN 327157-31-3 CAPLUS

CN Urea, N-[4-[[[(3,4-dihydro-2-methyl-3-oxo-2H-1,4-benzoxazin-6-yl)methyl]amino]butyl]-N'-phenyl- (9CI) (CA INDEX NAME)



REFERENCE COUNT:

3

THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT